



ISUZU FVZ1400 6×4 SERVICE TRUCK P5000 | ST058

PRODUCT SUMMARY

Plantman P9000 Service Module Specifications:

- Heavy duty chassis mounted – Steel compartment service module:

TANK #	TANK TYPE	TANK CAPACITY
No 1	Diesel reel, hose, Wiggins hand piece, Diesel reel, hose, Light Vehicle hand piece	5,000 litre
No 2	Oil reel, hose, hand piece, fast and top fill	750 Litres
No 3	Oil reel, hose, hand piece, fast and top fill	750 Litres

TANK #	TANK TYPE	TANK CAPACITY
No 4	Oil reel, hose, hand piece, fast and top fill	750 litre
No 5	Oil reel, hose, hand piece, fast and top fill	750 litre
No 6	Water reel, hose, hand piece, fast and top fill	500 litre
No 7	Waste, reel, hose, hand piece, fast and gravity drain	500 litre
No 8	Coolant tank, reel, hose, hand piece, fast and top fill	500 litre

- Bulk grease tank 2 pumps, reels, hoses, hand piece 500 kg
- High pressure grease system
- Safety signage
- All pumps are fully enclosed inside RHS pump cabinet
- Hose reels are mounted RHS front
- All systems are air operated
- Dual element amber rotating beacon and 6 service lights
- Polymer lined water and coolant tanks
- Polymer lined waste oil tank
- Top safety rails and steps
- Enclosed steel pipe reticulation lines
- Lockable start isolators to truck and air compressor
- 2" double diaphragm diesel delivery pump

SPECIFICATIONS:

- 221KW turbo charged and inter cooled 4 cycle diesel engine
- Exhaust retarder
- Euro IV compliant
- Upright exhaust
- Allison MD World Series 6 speed automatic transmission
- Air conditioned high roof cabin
- ROPS canopy
- ISRI suspension seat
- Passenger seat with retractable seat belts
- Buddy seat
- AM/FM radio with compact disc player
- Fabric seats with canvas seat covers
- Electric windows
- Remote control door locks
- East West mirrors and spot mirrors

- Meritor front and rear axle set
- Spring front and rear suspension
- Non asbestos brake linings
- Air dryer
- Spring applied emergency and parking brake
- 11R x 22.5 Michelin drive tyres
- 295/80R x 22.5 Michelin steer tyres
- Rear mounted spare wheels
- Wheel brace and jack
- Standard tint laminated windscreen
- Tropical tinted rear and side windows
- Safety signage
- Two way radio wiring and power supply 12 and 24V
- 2 x 9kg Fire extinguishers
- Auxiliary lighting Reverse alarm
- Roof mounted dual element amber rotating beacon
- Lockable isolator
- Jump start receptacle
- Service meter
- ROPS to AS 2294 and ISO 3471
- Serial No. 3701
- Passed road worthy for Western Australia

AIRMAN PDS75S COMPRESSOR SPECIFICATIONS:

- 75CFM diesel driven air compressor
- Automatic shutdown and warning system
- Key start lock
- Donaldson air cleaner system
- Receiver dryer
- Automatic lubricator

PRODUCT SPECIFICATIONS

AXLES	6x4
CAPACITY	5000L
MAKE	ISUZU
TYPE	Service Truck