PLANTMAN®



ISUZU FVZ1400 6×4 SERVICE TRUCK P5000 | ST101

PRODUCT SUMMARY

Plantman P5000 - Isuzu FVZ 1400 Service Truck

PLANTMAN P5000 SERVICE MODULE Specifications:

• Heavy duty chassis mounted – Steel compartment service module:

TANK#	TANK TYPE	TANK CAPACITY
No 1	Diesel reel, hose, Wiggins hand piece, Diesel reel, hose, Light Vehicle hand piece	5,000 litre
No 2	Oil reel, hose, hand piece, fast and top fill	750 Litres

P: 08 9274 7820

E: ENQUIRIES@PLANTMAN.COM.AU

TANK#	TANK TYPE	TANK CAPACITY
No 3	Oil reel, hose, hand piece, fast and top fill	750 litre
No 4	Oil reel, hose, hand piece, fast and top fill	750 litre
No 5	Oil reel, hose, hand piece, fast and top fill	750 litre
No 6	Water reel, hose,hand piece, fast and top fill	500 litre
No 7	Waste reel, hose, hand piece, fast and gravity drain	500 litre
No 8	Coolant tank reel, hose, hand piece, fast and top fill	500 litre

- Bulk grease tank 2 pumps, reels, hoses, hand piece500 kg
- · High pressure grease system
- · Safety signage
- · All pumps are fully enclosed inside RHS pump cabinet
- · Hose reels are mounted RHS front
- · All systems are air operated
- Dual element amber rotating beacon and 6 service lights
- Polymer lined water and coolant tanks
- Polymer lined waste oil tank
- · Top safety rails and steps
- Enclosed steel pipe reticulation lines
- · Lockable start isolators to truck and air compressor
- 2" double diaphragm diesel delivery pump

SPECIFICATIONS:

- · 221KW turbocharged and inter-cooled 4 cycle diesel engine
- Exhaust and hydraulic retarder
- · Euro IV compliant
- Upright exhaust
- Allison MD World Series 6 speed automatic transmission
- · Air-conditioned high roof cabin
- ROPS canopy
- · ISRI suspension seat
- Meritor front and rear axle set
- Spring front and rear suspension
- Non-asbestos brake linings
- Air dryer
- · Spring applied emergency and parking brake

- 11R x 22.5 Michelin drive tyres
- 295/80R x 22.5 Michelin steer tyres
- · Rear-mounted spare wheel
- Wheel brace and jack
- · Tropical tinted rear and side windows
- Two-way radio wiring and power supply 12 and 24V
- · Rust and corrosion prevention system
- Service meter

SAFETY FEATURES

- ROPS to AS 2294 ISO 3471
- 2 x 9kg Fire extinguishers
- Auxiliary lighting
- Reverse alarm
- Roof-mounted dual-element amber rotating beacon
- · Lockable isolator
- Jumpstart receptacle
- · Safety signage

PRODUCT SPECIFICATIONS

AXLES	6x4
CAPACITY	5000L
MAKE	ISUZU
TYPE	Service Truck