



## MITSUBISHI FS52J 8×4 SERVICE TRUCK P14000 | ST040

### PRODUCT SUMMARY

Mitsubishi FS52J 8 x 4 Service Truck Specifications:

### PLANTMAN P14000 SERVICE MODULE SPECIFICATIONS:

- Heavy duty chassis mounted – steel 6 compartment service module:

TANK #	TANK TYPE	TANK CAPACITY
No 1 Diesel	reel, hose, Wiggins hand piece	12,000 litre
Diesel	reel, hose, Light Vehicle hand piece	

TANK #	TANK TYPE	TANK CAPACITY
No 2 Oil	reel, hose, hand piece, fast and top fill	500 litre
No 3 Oil	reel, hose, hand piece, fast and top fill	500 litre
No 4 Water	reel, hose, hand piece, fast and top fill	200 litre
No 5 Waste	reel, hose, hand piece, fast and gravity drain	500 litre
No 6 Oil	PTO	500 litre
Bulk grease tank	2 pumps, reels, hoses, hand piece	400 Kg

- High pressure grease system
- Safety signage
- All pumps are fully enclosed inside RHS pump cabinet
- Hose reels are mounted RHS front
- All systems are air operated
- Amber rotating beacon and 6 service lights
- Top safety rails and steps
- Enclosed steel pipe reticulation lines
- Lockable start isolators to truck and air compressor
- 3" rotary diesel delivery pump
- Polymer lined waste oil tank
- Digital oil dispensing meters x 2
- Rear assembly chassis mounted
- 2 x high mounted LED lights

## **SPECIFICATIONS:**

- Specifications: 257kW (340 HP) Turbo charged and inter cooled 4 cycle diesel engine
- Exhaust retarder
- ADR80/00 compliant
- Upright muffler
- Pre cleaner
- Allison automatic transmission
- Hydraulic retarder
- LHS power takes off
- Versa cool high ambient transmission cooler
- Tropical cooling system package
- Air-conditioned high roof cabin with ROPS to AS2294
- Serial #2671ISRI suspension seat

- Passenger seat with retractable seat belts
- Fabric seats with canvas seat covers
- AM/FM radio with CD player
- Electric windows
- Remote control door locks
- East West mirrors and spot mirrors
- Heavy duty front guard
- 6,500kg front and 21,600kg rated rear axle set with spring front 6 rod rear
- Suspension
- Non asbestos brake linings
- Air dryer
- Spring applied emergency and parking brake
- 11R x 22.5 tyres x 13
- Individual wheel covers and heavy-duty mud flaps
- Rear mounted spare wheel
- Wheel brace and jack
- Standard tint laminated windscreen
- Tropical tinted rear and side windows
- 1.2 metre aerial and warning flag
- Safety signage
- Two-way radio power supply 12 and 24V
- 2 x 9kg Fire extinguishers
- Auxiliary lighting
- Reverse alarm
- Roof mounted amber rotating beacon
- Lockable isolator
- 24V jump start receptacle
- Remote shutdowns
- Electric service meter
- LED tail lights
- FRPC compliant
- IVMS (In Vehicle Monitoring System) fitted and operational
- This machine is well maintained, in good condition and appearance
- Passed road worthy for Western Australia

### **BOSS 90CFM COMPRESSOR SPECIFICATIONS:**

- Direct Coupled 90 CFM Boss Rotary Compressor
- Receiver drier
- 1000kpa delivery pressure maximum
- Oil separator
- Cooling via air to oil front mounted cooler
- Over temperature and load protection system
- External ground level control system

## PRODUCT SPECIFICATIONS

<b>AXLES</b>	8x4
<b>CAPACITY</b>	14000L
<b>MAKE</b>	MITSUBISHI
<b>TYPE</b>	Service Truck