



2010 VOLVO FM440 8×4 SERVICE TRUCK P18000

BTP GROUP

INDUSTRY: MINING
LOCATION: PILBARA
TYPE: SERVICE TRUCK



PRODUCT SUMMARY

New Heavy-duty chassis-mounted steel, Plantman P14000 compartment service module:

TANK #	TANK TYPE	TANK CAPACITY
No 1	Bulk diesel – Reel, hose, Wiggins handpiece, fast-fill	18,000 litres
No 2	Oil – Reel, hose, handpiece, fast-fill	1,500 litres
No 3	Oil – Reel, hose, handpiece, fast-fill	600 Litres
No 4	Oil – Reel, hose, handpiece, fast-fill	600 Litres
No 5	Oil – Reel, hose, handpiece, fast-fill	600 Litres
No 6	Water – Reel, hose, handpiece, fast-fill	200 Litres
No 7	Waste – Reel, hose, handpiece, fast-fill and gravity drain	1,500 Litres
No 8	Oil – PTO	250 Litres

- 400kg Bulk grease tank – 2 pumps, reel, hose, hand piece, fast-fill

PLANTMAN P18000 – VOLVO FM440 8×4 SERVICE TRUCK P18000 SPECIFICATIONS:

- PTO shut down
- ROPS canopy
- Canvas seat covers
- Rear mounted spare wheel
- Tropical tinted rear and side windows
- Safety
- Signage
- Two way radio wiring and power supply
- 2 x 9kg fire extinguishers
- Auxiliary lighting
- Reverse alarm
- Roof mounted amber rotating beacon
- Lockable isolator
- Jump start receptacle
- Rust and corrosion prevention system
- Service meter
- High pressure grease system
- Safety signage

- All pumps are fully enclosed inside RHS pump cabinet
- Hose reels are mounted RHS front
- All systems are air operated
- Dual element amber rotating beacon and six (6) service lights
- Polymer water tank
- Polymer lined waste oil tank
- Top safety rails and steps
- Enclosed steel pipe reticulation lines
- Lockable start isolators to truck and air compressor
- 3" Hyd driven diesel delivery pump
- 90CFM PTO driven air compressor

PRODUCT SPECIFICATIONS

AXLES	8x4
CAPACITY	18000L
MAKE	VOLVO
TYPE	Service Truck