PLANTMAN®



2011 MACK METROLINER 6×4 SERVICE TRUCK P9000

BTP GROUP

INDUSTRY: MINING LOCATION: PILBARA TYPE: SERVICE TRUCK



PRODUCT SUMMARY

New Heavy-duty chassis-mounted steel, Plantman P9000 compartment service module:

P: 08 9274 7820

E: ENQUIRIES@PLANTMAN.COM.AU

TANK#	TANK TYPE	TANK CAPACITY
No 1	Bulk Diesel – Reel, hose, Wiggins fast-fill handpiece	9,000 litres
	Diesel – reel, hose, Light Vehicle handpiece	
No 2	Oil – Reel, hose, handpiece, fast and top fill	500 litres
No 3	Oil – Reel, hose, handpiece, fast and top fill	500 litres
No 4	Oil – Reel, hose, handpiece, fast and top fill	500 litres
No 5	Water – Reel, hose, handpiece, fast and top fill	200 litres
No 6	Waste – Reel, hose, handpiece, fast and gravity drain	500 litres

• 400kg Bulk grease tank – 2 pumps, reels, hoses, hand piece

BOSS 90CFM COMPRESSOR SPECIFICATIONS:

- Direct Coupled 90 CFM Boss Rotary Compressor
- Receiver drier
- 1000kpa deliver pressure maximum
- · Oil separator
- · Cooling via air to oil front mounted cooler
- Over temperature and load protection system
- External ground level control system

PLANTMAN P9000 – MACK METROLINER 6×4 SERVICE TRUCK P9000 SPECIFICATIONS:

- Turbo charged & inter cooled 4 cycle diesel engine with exhaust retarder
- · Euro V compliant
- Upright muffler
- Pre cleaner
- · Allison automatic transmission
- Hydraulic retarder
- · Power take off
- · Versacool high ambient transmission cooler,
- Tropical cooling system package
- · Air conditioned high roof cabin with ROPS to AS 2294

P: 08 9274 7820

- ISRI suspension seat, passenger seat with retractable seat belts
- AM/FM radio with compact disc player
- · Fabric seats with canvas seat covers
- · East West mirrors & spot mirrors
- Heavy duty front guard
- · Rear axle set with spring front & rear suspension
- · Disc brakes with non asbestos brake pads
- Air dryer
- Spring applied emergency & parking brake
- 11R x 22.5 tyres individual wheel covers and heavy duty mud flaps, spare wheel, jack & wheel brace
- · Standard tint laminated windscreen, tropical tinted rear and side windows
- 1.2 metre aerial and warning flag
- Safety signage
- Two way radio power supply
- 2 x 9kg fire extinguishers
- Auxiliary lighting
- Reverse alarm
- Rroof mounted amber rotating beacon
- Lockable isolator
- Jump start receptacle
- · Remote shut downs
- Emergency stop
- · Safety steps and hand rails
- · Electric service meter
- PTO service meter
- LED tail lights
- · Meets Western Australia Mining Regulations
- · High pressure grease system
- · Safety signage and corporate signage with fleet number
- · All pumps are fully enclosed inside RHS pump cabinet
- Hose reels are mounted RHS front
- All systems are air operated
- · Amber rotating beacon and six (6) service lights
- Polymer lined water tank
- · Air reel 3/8" in cabinet
- Top safety rails and steps
- Enclosed steel pipe reticulation lines
- · 2" double diaphragm diesel delivery pump
- LED Compartment lighting
- Rear tray mounted ¾" air hose reel and Minsup fitting
- 3 x PIUSI Digital Display Oil

PRODUCT SPECIFICATIONS

AXLES	6x4
CAPACITY	9000L
MAKE	MACK
TYPE	Service Truck