



# 2023 ISUZU 240-350 6×4 FIELD SERVICE TRUCK P9500

## WESTRAC

INDUSTRY: MINING  
LOCATION: PERTH  
TYPE: SERVICE TRUCK

**WesTrac**

**CAT®**

---

## PRODUCT SUMMARY

New Heavy-duty chassis-mounted steel, Plantman P9500 compartment service module:

TANK #	TANK TYPE	TANK CAPACITY
No 1	Oil – Spring Retractable Samoa 3/4" Reel, hose, manual handpiece	1,000 litres
No 2	Oil – Spring Retractable Reel, hose, manual handpiece	1,000 litres
No 3	Oil – Spring Retractable Reel, hose, manual handpiece	1,000 litres
No 4	Oil – Spring Retractable Reel, hose, manual handpiece	1,000 litres
No 5	Oil – Spring Retractable Reel, hose, manual handpiece	1,000 litres
No 6	Waste Oil – Spring Retractable Reel, hose with Four Way Valve for EVAC	500 litres
No 7	Coolant tank – Spring Retractable Reel, hose, handpiece	3,000 litres
No 8	Water Tank – Spring Retractable Reel, hose, handpiece	500 litres
No 9	Grease HP Pump, Spring Retractable Reel, 3/8" hose, dispenser Diesel	500 litres
No 9	Grease HP Pump, Spring Retractable Reel, 3/8" hose, dispenser Diesel	300 kg
No 11	Air Reel – reel, hose, quick coupler fitting	

- Heavy Duty Chassis mounted steel 10 (ten) compartment service module
- Left and Right sides of the module to have gullwing doors for parts/filter storage and tooling storage. All are in sealed and enclosed compartments free from weather and dust in line with CATERPILLAR INC lube truck standards.
- Underslung molded tool boxing on both sides with draws and shelving. All are in sealed and enclosed compartments free from weather and dust in line with CATERPILLAR INC lube truck standards.
- Rear-facing reel compartment door. Fully sealed and enclosed free from weather and dust in line with CATERPILLAR INC lube truck standards.
- Dispensing Oil tanks are to be filled with HYDAC 10-micron filtration system to meet CATERPILLAR INC Cleanliness targets.
- All tanks are to be fitted with Stauff Desiccant Breather with Air and Water removal filtration to meet CATERPILLAR INC Cleanliness targets

## **SMAC 40D DIESEL SCREW COMPRESSOR SPECIFICATIONS:**

- Remote start to rear Reel Bay
- Certified safety Valve
- Auto Lubricator and the Receiver dryer
- High Mount Exhaust
- High-mount air intake pre-cleaner

## **PLANTMAN PLC SYSTEM SPECIFICATIONS:**

- Touch Screen readout display screen mounted inside the cab. Removable tablet to take into the field to control the service module
- Digital Tank Levels to be displayed on the Plantman PLC system
- Digital tank dispensing readouts are to be displayed on the Plantman PLC system. This can be used in conjunction with recording all dispensed amounts and sending a report via email and or USB direct to workshop stores for the amount of fluid to be booked out per job. Each individual asset number will form its own report.
- All tanks with overfill protection linked into the Plantman PLC System

## **PLANTMAN P9500 - ISUZU 240-350 6x4 P9500 FIELD SERVICE TRUCK SPECIFICATIONS:**

- Rear tow Hitch with 50mm Tow ball
- Canvas Seat Covers for driver and passenger seats
- UHF Two-Way Radio
- Reverse Alarm and Reverse Camera
- LHS rear-facing camera
- Front facing roof Mounted LED Light Bar
- Front-facing Spot Driving Lights
- 2 x LED Amber Beacon front and rear Mounted
- 6 x LED surrounding Work lights
- All Toolboxes and Reel Compartment lit by LED Strip Lighting
- 2 x Lockable Battery Isolators – (Truck & Compressor)
- 1 x Starter Isolator – Truck
- 1 x Truck E-Stop mounted in Cabin
- 2 x Compressor E-Stops (RHS and Rear Reel Bay)
- 24-volt Jump Start Receptacle – Truck
- Cigarette lighter charging sockets and USB Charging sockets inside side toolboxes
- Truck High Mount Safety Whip Flag with Light
- 2x 9kg Fire Extinguishers
- 1 x 1 .5kg Fire extinguisher mounted inside cabin
- 1 x Eyewash Station
- 1 x First aid kit

## **SAFETY FEATURES**

- Safety, company and operational decals
- Built to WA Mining specifications
- WA Roadworthy passed (ready for WA licensing)

## PRODUCT SPECIFICATIONS

<b>AXLES</b>	6x4
<b>CAPACITY</b>	9500L
<b>MAKE</b>	ISUZU
<b>TYPE</b>	Service Truck